

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property  
Organization  
International Bureau




(43) International Publication Date  
22 January 2004 (22.01.2004)

PCT

(10) International Publication Number  
**WO 2004/006761 A1**

- (51) International Patent Classification<sup>7</sup>: **A61B 5/03**, 5/00, 5/20
- (21) International Application Number: PCT/NL2003/000508
- (22) International Filing Date: 10 July 2003 (10.07.2003)
- (25) Filing Language: Dutch
- (26) Publication Language: English
- (30) Priority Data: 1021054 12 July 2002 (12.07.2002) NL
- (71) Applicant (for all designated States except US): **BEST MEDICAL INTERNATIONAL BEHEER B.V.** [NL/NL]; Schoenaker 10e, NL-6641 SZ Beuningen (NL).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): **DIJKMAN, Gerrit** [NL/NL]; Oldenzaalsestraat 1200, NL-7524 RJ Enschede (NL).
- (74) Agent: **PRINS, A., W.**; c/o Vereenigde, Nieuwe Parklaan 97, NL-2587 BN Den Haag (NL).
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Published:  
— with international search report
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: UNIVERSAL MEASURING DEVICE FOR MEDICAL APPLICATION



(57) Abstract: Measuring device for medical application, comprising a first part provided with measuring means for measuring data of a patient, and a second part provided with communication means for sending the data, wherein the first part can be releasably connected to the second part, characterized in that the communication means are wireless.

## UNIVERSAL MEASURING DEVICE FOR MEDICAL APPLICATION

The invention relates to a measuring device for medical application, comprising a  
5 first part provided with measuring means for measuring data of a patient, and a second  
part provided with communication means for sending the data, wherein the first part can  
be releasably connected to the second part.

Known from the international patent application WO 02/07595 is a connector unit  
for receiving a disposable catheter for performing urological measurements. In the  
10 catheter is arranged a pressure sensor for measuring diverse pressure-related data. The  
connector unit can be connected by means of electrical wiring to peripheral equipment for  
the purpose of sending the data thereto.

It is a general object of the invention to provide a universal measuring device for  
medical application with an increased number of possible uses.

15 The measuring device according to the invention has the feature that the  
communication means are wireless.

The possible uses are considerably increased through the application of wireless  
communication, because of the fact, among others, that the patient and the peripheral  
equipment do not have to be located in the same space. In addition, the measuring device  
20 according to the invention is extremely easy to use, which increases user convenience to  
a significant extent. The absence of wires moreover increases the freedom of movement  
of the patient to a significant degree.

In a first preferred embodiment the first part is a disposable article. The measuring  
device is hereby based on the principle of once-only use or use by one patient at most,  
25 and thereby satisfies the highest requirements in respect of hygiene.

In a second preferred embodiment the first part is embodied as a cassette, and the  
second part is embodied as cassette holder. The measuring device according to the  
invention is compact, thereby further enhancing user convenience.

The invention will be elucidated hereinbelow on the basis of embodiments and with  
30 reference to the drawings.

In the drawings:

Figure 1 shows in perspective view a first preferred embodiment of the measuring  
device according to the invention;

Figure 2 shows the preferred embodiment of figure 1 with the parts taken apart;  
35 and

Figure 3 shows the preferred embodiment of figure 1 with connections in a  
practical situation.

Corresponding components are designated in the figures with the same reference  
numerals.

Figure 1 shows a measuring device 1 comprising a cassette 2 which is received in a cassette holder 3. Cassette 2 is provided with measuring means, which in this preferred embodiment are adapted to perform liquid pressure measurements in the field of urology. The measuring means comprises three catheters 4 which are each provided with three  
5 ports, i.e. a first port 5a, 5b, 5c for connection of a catheter tube 6a, 6b, 6c (see figure 3), a second venting port 7 and a third port 8 in which is arranged a pressure sensor (not shown). The catheters are further provided with a two-way tap 9 and a non-return valve 10. Such a catheter is described at length in the above stated international patent application WO 02/07595 which is interpolated herein through reference.

10 It is noted in this respect that the catheters 4 are preferably integrated into the cassette. The cassette is provided with recesses on which a close-fitting casing is placed in liquid-tight manner, the recesses and casing together forming the catheters 4. The components of the catheters and the function thereof corresponds however to that of the known catheters, to which reference has been made above.

15 Cassette 2 can be connected releasably to holder 3 by means of a connector 13, this being illustrated in figure 2. It is noted that many types of suitable connector are available commercially for releasable connection of the cassette and the holder.

During use the cassette 2 comes into contact with bodily fluids of the patient and is intended as a disposable article. The cassette is preferably provided with a power supply,  
20 for instance in the form of batteries. In order to prevent reuse, the lifespan of the power supply is geared to the anticipated measuring time required by the measuring means. The lifespan is preferably chosen such that the intended measurement can be performed only once on a patient. The cassette is sealed liquid-tight.

Holder 3 is provided with wireless communication means. The communication  
25 means comprise at least one transmitter, for instance a radio frequency transmitter 11. All peripherals with a suitable receiver can receive and/or process the data sent by the holder. Examples of such peripherals are computers, such as personal computers, including laptops, as well as electronic agendas, the so-called palmtop. If desired, the communication means can also comprise a receiver, preferably a radio frequency  
30 receiver. Suitable wireless communication means are per se known and available commercially. Use is preferably made of a protocol for monitoring the completeness and/or reliability of the received data. Such protocols are per se known and available commercially in the form of software and/or hardware. An example of suitable wireless communication means is the Blue Tooth® system of IBM.

35 Holder 3 is further provided with electronics for reading the measurement values of the pressure sensor and converting thereof into data suitable for transmission. Holder 3 comprises for this purpose means for digitizing the data. The holder can also comprise a pre-amplifier. Such electronics are commercially available and therefore known to a skilled person in the field.

Holder 3 is also provided with means for attaching the holder to a patient, such as adhesive electrodes (not shown), and is suitable for stationary and ambulatory use.

Holder 3 is suitable and intended for reuse. It can be cleaned simply in usual manner, for instance with a wet cloth. The holder can be made splashproof by liquid-tight sealing of the connector for the cassette.

Figure 3 shows measuring device 1 in a practical situation. A catheter tube 6a for rectal measurement of the abdominal pressure is connected to port 5a. A catheter tube 6b for simultaneously measuring the pressure in the urethra and in the bladder is connected to ports 5b and 5c.


The measuring device according to the invention is described in the context of urological applications. It will however be apparent to a skilled person in the field that the measuring means can if desired be replaced by diverse other measuring means for use in other fields of medical science. An example of such measuring means are means for measuring electrophysiological data, for instance measuring electrodes. The measuring device is then suitable for performing a general electrophysiological examination, such as ECG measurements and gastro-enterological measurements. The skilled person will have no difficulty whatever in also using other, per se known measuring means in combination with the above described measuring device.


In figure 3, in addition to the catheters, two measuring electrodes 12 are connected to cassette 2 to perform ECG measurements.

The invention is of course not limited to the shown and described embodiment but comprises any embodiment falling within the scope of the appended claims as seen in the light of the accompanying drawings.


**CLAIMS**

- 5 1. Measuring device for medical application, comprising a first part provided with measuring means for measuring data of a patient, and a second part provided with communication means for sending the data, wherein the first part can be releasably connected to the second part, characterized in that the communication means are wireless.
- 10 2. Measuring device as claimed in claim 1, wherein the first part is a disposable article.
3. Measuring device as claimed in claim 1 or 2, wherein the first part is embodied as a cassette, and the second part is embodied as cassette holder.





Figur 2



Figuur 3



# INTERNATIONAL SEARCH REPORT

Int. Application No  
PCT/NL 03/00508

A. CLASSIFICATION OF SUBJECT MATTER  
IPC 7 A61B5/03 A61B5/00 A61B5/20

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)  
IPC 7 A61B

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the International search (name of data base and, where practical, search terms used)

EPO-Internal

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 02 22006 A (NEXAN LTD.) 21 March 2002 (2002-03-21) the whole document	1-3
X	WO 02 22010 A (NEXAN LTD.) 21 March 2002 (2002-03-21) page 8, line 6 -page 9, line 25; figures 1-5	1,2
X	US 5 479 934 A (IMRAN) 2 January 1996 (1996-01-02) column 1, line 40 -column 2, line 18; figures 1-17	1
X	WO 01 17425 A (TENSYS MEDICAL INC.) 15 March 2001 (2001-03-15) page 10, line 28 - line 35 abstract; figures 1-3	1,2
	-/-	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

\* Special categories of cited documents:

- \*A\* document defining the general state of the art which is not considered to be of particular relevance
- \*E\* earlier document but published on or after the international filing date
- \*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- \*O\* document referring to an oral disclosure, use, exhibition or other means
- \*P\* document published prior to the international filing date but later than the priority date claimed

- \*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- \*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- \*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- \*G\* document member of the same patent family

Date of the actual completion of the international search

17 October 2003

Date of mailing of the international search report

29/10/2003

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Hunt, B

## INTERNATIONAL SEARCH REPORT

In Application No  
PCT/NL 03/00508

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 96 14813 A (C & M INVESTMENT NOMINEES PTY. LTD.) 23 May 1996 (1996-05-23) page 5, line 31 -page 7, line 24; figure 3 ----	1-3
A	DE 198 51 275 C (PVB MEDIZINTECHNIK GMBH & CO. KG) 10 February 2000 (2000-02-10) the whole document ----	1
A	EP 0 919 182 A (PVB MEDIZINTECHNIK GMBH & CO., KG) 2 June 1999 (1999-06-02) the whole document -----	1

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Publication No

PCT/NL 03/00508

Patent document cited in search report		Publication date		Patent family member(s)	Publication date
WO 0222006	A	21-03-2002	AU	8607901 A	26-03-2002
			WO	0222006 A1	21-03-2002
WO 0222010	A	21-03-2002	AU	8785601 A	26-03-2002
			WO	0222010 A1	21-03-2002
			US	2002099277 A1	25-07-2002
US 5479934	A	02-01-1996	AU	667199 B2	14-03-1996
			AU	2724892 A	13-05-1993
			AU	5468696 A	01-08-1996
			AU	5468796 A	01-08-1996
			CA	2082092 A1	09-05-1993
			EP	0541393 A1	12-05-1993
			JP	5261076 A	12-10-1993
			US	5452718 A	26-09-1995
			US	5345934 A	13-09-1994
WO 0117425	A	15-03-2001	AU	7107600 A	10-04-2001
			EP	1211975 A2	12-06-2002
			JP	2003508145 T	04-03-2003
			WO	0117425 A2	15-03-2001
WO 9614813	A	23-05-1996	AU	690901 B2	07-05-1998
			WO	9614813 A1	23-05-1996
			AU	6339394 A	01-12-1994
			AU	8135294 A	06-06-1996
DE 19851275	C	10-02-2000	DE	19851275 C1	10-02-2000
EP 919182	A	02-06-1999	DE	19851276 A1	10-06-1999
			US	6139503 A	31-10-2000
			AU	3229599 A	30-11-2000
			EP	0919182 A1	02-06-1999